

# SEED 20 CUDE 24





HarvXtra® Alfalfa is one of the most advanced alfalfa traits in the industry, giving you flexibility — not limits. It does this by modifying the amount of lignin in the alfalfa plant beyond what is possible with conventional alfalfa breeding. This gives you the ability to maintain harvest for higher-quality forage or extend harvest to optimize yield potential without sacrificing quality.

HarvXtra® Alfalfa with Roundup Ready® technology is now available in NEXGROW® 6439HVXR and 6957HVXR Brand varieties. HarvXtra® alfalfa with Roundup Ready® technology gives you unprecedented flexibility by widening cutting windows. This gives you the ability to better manage the yield-versus-quality trade-off. It also adds unsurpassed weed control with Roundup Ready® technology.

- Choose to maintain your current harvest schedule for higher quality forage, OR
- Delay harvest a few days for increased tonnage potential without sacrificing forage quality.

### HarvXtra® Alfalfa with Roundup Ready® Technology

NEXGROW® alfalfa offers HarvXtra® alfalfa with Roundup Ready® Technology. The HarvXtra® Alfalfa with Roundup Ready Technology trait puts you back in charge of your cutting schedule. A flexible cutting window makes it easier to manage your operation, but that isn't all it does for you. Maintain a normal harvest schedule and achieve higher forage quality than with conventional varieties at the same stage of maturity or delay harvest up to 10 days for higher yield potential without sacrificing quality.



### Roundup Ready® Alfalfa Varieties

A critical component to a strong crop is a weed-free field. Along with conventional varieties, NEXGROW® alfalfa offers one of the industry's leading portfolios of alfalfa varieties with Roundup Ready® technology. Look for trusted varieties like 6424R and 6516R for help achieving a weed-free field.



### **Seed Treatment**

All alfalfa varieties offered by NEXGROW® alfalfa include seed treatment options to optimize germination, nodulation and promote early-season health and root development — allowing more seedlings to survive and reach their full genetic potential.

### **Disease and Pest Protection**

NEXGROW varieties like 6439HVXR, 6423R and 6435Q that include our UltraCut™ alfalfa disease package offer growers the ability to help protect yield and quality potential. NEXGROW alfalfa also provides the latest generation of potato leafhopper resistance with excellent agronomic performance, and operates a premier alfalfa development program for the selection of stem nematode resistant varieties.



<sup>1</sup>Includes race 1 and race 2 protection. In addition, Forage Genetics International, LLC (FGI) has identified a novel source of Aphanomyces resistance in the greenhouse and field that visibly outperforms unrelated varieties on the market when grown under natural or artificial disease pressure. FGI researchers have been working cooperatively with universities collecting and testing the most virulent strains of Aphanomyces to help determine the level of resistance to this novel source.

<sup>2</sup>Includes race 1 protection, along with Anthracnose Race 5 protection, which is patented by FGI.

### ALFALFA TRAITS

| Sar Gillo Paco Num         | Mill Dormal        | ney ne | Stand, Fall Grown | Carly Seel Service Consistent | Ching Grown | Recovery Aught Street | Arter Curtin | rage Quality | leafine | Venial William Ses | icilian wi | Anthrach<br>Sarium Wi | Anthrachologo (Race | Aphanony opyrophyte (Race 5) | Aphanom, ices Roof he | tion, Rock Roof Race | ing Abiandi Race | Disco State | se Index He | Pea Abi | Sported April | leathopte Blue Aphi | Norther Stellowing | In Roor Kill | or Nenare | Salt Toleran | nne |
|----------------------------|--------------------|--------|-------------------|-------------------------------|-------------|-----------------------|--------------|--------------|---------|--------------------|------------|-----------------------|---------------------|------------------------------|-----------------------|----------------------|------------------|-------------|-------------|---------|---------------|---------------------|--------------------|--------------|-----------|--------------|-----|
| HarvXtra <sup>®</sup> Alfa |                    |        | ound              | up Ro                         | eady        |                       | nolo         |              |         |                    |            |                       |                     |                              |                       |                      |                  |             |             |         |               |                     |                    | ,            |           |              |     |
| 6439HVXR                   | 10                 | 4.4    | 1.6               | D                             | VG          | VG                    | VG           | F            | EX      | VH                 | HR         | HR                    | HR                  | HR                           | R                     | HR                   | HR               | HR          | HR          | 39/40   | R             | R                   | _                  | _            | R         | _            | G   |
| 6957HVXR Brand             | 11                 | 9.0    | N/A               | ND                            | EX          | EX                    | EX           | F            | EX      | Н                  | MR         | R                     | HR                  | HR                           | _                     | HR                   | _                | _           | _           | _       | HR            | HR                  | _                  | _            | R         | _            | G   |
| Roundup Read               | ly <sup>®</sup> Al | falfa  |                   |                               |             |                       |              |              |         |                    |            |                       |                     |                              |                       |                      |                  |             |             |         |               |                     |                    |              |           |              |     |
| 6373R                      | 12                 | 3.2    | 1.0               | D                             | EX          | VG                    | EX           | MF           | EX      | VH                 | HR         | HR                    | HR                  | HR                           | _                     | HR                   | HR               | R           | _           | 34/35   | HR            | R                   | _                  | _            | MR        | _            | G   |
| 6497R                      | 13                 | 4.0    | 2.0               | D                             | EX          | VG                    | VG           | F            | EX      | VH                 | HR         | HR                    | HR                  | HR                           | -                     | HR                   | HR               | -           | -           | 30/30   | R             | -                   | -                  | -            | R         | R            | G   |
| NEXTECT™<br>RR Brand       | 14                 | 4.0    | 2                 | D                             | EX          | VG                    | VG           | M-F          | VG      | -                  | HR         | HR                    | HR                  | R                            | _                     | HR                   | R                | _           | _           | 28/30   | _             | _                   | _                  | _            | _         | _            | _   |
| 6427R                      | 15                 | 4.1    | 1.0               | D                             | EX          | VG                    | VG           | F            | EX      | VH                 | HR         | HR                    | HR                  | HR                           | _                     | HR                   | HR               | R           | _           | 34/35   | R             | R                   | _                  | _            | HR        | _            | G   |
| 6424R                      | 16                 | 4.2    | 1.8               | D                             | EX          | VG                    | VG           | F            | EX      | VH                 | HR         | HR                    | HR                  | HR                           | _                     | HR                   | HR               | HR          | _           | 35/35   | R             | MR                  | _                  | _            | R         | _            | _   |
| 6423R                      | 17                 | 4.0    | 1.0               | D                             | EX          | VG                    | VG           | F            | EX      | VH                 | HR         | HR                    | HR                  | HR                           | HR                    | HR                   | HR               | HR          | HR          | 40/40   | HR            | R                   | _                  | _            | R         | _            | NT  |
| 6516R                      | 18                 | 4.5    | VH                | D                             | VG          | EX                    | VG           | VF           | EX      | VH                 | HR         | HR                    | HR                  | HR                           | _                     | HR                   | HR               | _           | _           | 30/30   | HR            | HR                  | _                  | _            | HR        | HR           | G   |
| 6829R                      | 19                 | 7.5    | N/A               | ND                            | VG          | EX                    | G            | VF           | EX      | Н                  | R          | R                     | R                   | HR                           | _                     | HR                   | HR               | _           | _           | _       | HR            | HR                  | R                  | _            | HR        | HR           | G   |
| 6830R Brand                | 20                 | 8.3    | N/A               | ND                            | VG          | EX                    | G            | VF           | EX      | _                  | R          | R                     | R                   | R                            | _                     | HR                   | R                | _           | _           | _       | HR            | HR                  | _                  | _            | HR        | _            | G   |
| 6902R                      | 21                 | 9.4    | N/A               | ND                            | VG          | EX                    | G            | VF           | VG      | Н                  | R          | R                     | HR                  | HR                           | -                     | HR                   | LR               | _           | -           | -       | HR            | HR                  | R                  | -            | HR        | -            | G   |
| Conventional               | Alfal              | fa     |                   |                               |             |                       |              |              |         |                    |            |                       |                     |                              |                       |                      |                  |             |             |         |               |                     |                    |              |           |              |     |
| Spredor 5                  | 22                 | 1.9    | 1.0               | D                             | EX          | VG                    | EX           | MF           | VG      | Н                  | HR         | HR                    | HR                  | HR                           | -                     | HR                   | HR               | R           | -           | 34/35   | R             | R                   | -                  | -            | R         | -            | G   |
| 6305Q                      | 23                 | 3.2    | 1.0               | D                             | EX          | VG                    | EX           | MF           | EX      | VH                 | HR         | HR                    | HR                  | HR                           | _                     | HR                   | HR               | _           | _           | 30/30   | R             | HR                  | _                  | _            | R         | _            | _   |
| 6480H Brand                | 24                 | 3.9    | 2.0               | D                             | VG          | EX                    | EX           | VF           | VG      | Н                  | HR         | HR                    | HR                  | HR                           | -                     | HR                   | HR               | R           | _           | 34/35   | HR            | MR                  | _                  | HR           | -         | _            | -   |
| 6401N                      | 25                 | 4.0    | VH                | D                             | EX          | VG                    | VG           | F            | EX      | VH                 | HR         | HR                    | HR                  | HR                           | -                     | HR                   | R                | _           | -           | 29/30   | HR            | R                   | _                  | _            | HR        | HR           | G   |
| 6422Q                      | 26                 | 4.5    | 1.0               | D                             | EX          | EX                    | VG           | VF           | EX      | VH                 | HR         | HR                    | HR                  | HR                           | -                     | HR                   | HR               | _           | -           | 30/30   | R             | R                   | _                  | -            | R         | _            | _   |
| 6453Q                      | 27                 | 4.4    | 1.6               | D                             | VG          | EX                    | VG           | VF           | EX      | VH                 | HR         | HR                    | HR                  | HR                           | HR                    | HR                   | HR               | HR          | HR          | 40/40   | R             | R                   | -                  | -            | R         | -            | G   |
| 6585Q                      | 28                 | 5.0    | 1.9               | D                             | EX          | EX                    | G            | VF           | EX      | VH                 | HR         | HR                    | HR                  | HR                           | -                     | HR                   | HR               | R           | _           | 34/35   | R             | _                   | -                  | _            | HR        | R            | G   |
| 6906N                      | 29                 | 8.9    | N/A               | ND                            | VG          | EX                    | G            | VF           | VG      | Н                  | MR         | -                     | HR                  | R                            | _                     | R                    | _                | _           | _           | _       | HR            | HR                  | HR                 | _            | HR        | -            | G   |

#### **Resistance Ratings**

Susceptible (0-5%)

LR Low Resistance (6-I4%)

MR Moderate Resistance (15-30%)

Resistance (31-51%)

High Resistance (>50%)

#### **Agronomic Ratings**

Good

Very Good

EX Excellent

#### Winterhardiness

Hardy

VH Very Hard

#### **Fall Growth**

Dormant Non-Dormant

Semi-Dormant

#### **Recovery After Cutting**

Moderately Fast

Fast ۷F Very Fast

#### **Salt Tolerance**

Germination Forage


Includes race 1 and race 2 protection. In addition, Forage Genetics International, LLC (FGI) has identified a novel source of Aphanomyces resistance in the greenhouse and field that visibly outperforms unrelated varieties on the market when grown under natural or artificial disease pressure. FGI researchers have been working cooperatively with universities collecting and testing the most virulent strains of Aphanomyces to help determine the level of resistance to this novel source. Includes race 1 protection, along with Anthracnose Race 5 protection, which is patented by FGI.

### HARVXTRA® ALFALFA

### AN ALFALFA THAT GIVES YOU OPTIONS. NOT LIMITS.

The genetically enhanced HarvXtra® technology fundamentally changes the relationship between forage quality and stage of maturity by modifying lignin content (ADL) beyond what is possible with conventional breeding techniques.

#### **OPTION 1**



2015 and 2016 data. 4 locations: PA, WI, ID, WA.

2013 seeding, 2014, 2015, 2016 data. West Salem, WI.

#### **OPTION 2**



Fewer cuttings have the potential for more yield over time, increased persistence, and lower harvest costs.

The HarvXtra® Alfalfa trait lets growers delay harvest for up to 10 days to increase tonnage without sacrificing forage quality.

By reducing the amount of lignin in the plant, the HarvXtra® Alfalfa trait technology fundamentally changes the relationship between forage quality and stage of maturity. Less acid detergent lignin (ADL) and higher neutral detergent fiber digestibility (NDFD) improves digestibility and can command a higher price per ton come harvest.

To learn more about HarvXtra® alfalfa with Roundup Ready® technology, visit harvxtra.com.

### SEED TREATMENTS & COATINGS

#### STANDARD SEED TREATMENT PACKAGE OFFERINGS

| Treatment Options   | Treatment<br>Description | Stamina® | Apron XL® | Nitragin<br>Gold® | Optimize<br>Gold® | Micronutrients | OMRI Listed |
|---|--------------------------|----------|-----------|-------------------|-------------------|----------------|-------------|
| 34% Nutrient Coat   | COS                      | X        | X         | X                 | Χ                 | Х              | NO          |
| Apex Green 34% Organic Coat (Only available on specific products) | OC                       |          |           | X                 |                   |                | YES         |

### ADVANTAGES OF GROZONE® GOLD SEED TREATMENT PACKAGE

#### BETTER EMERGENCE IN WET OR DRY CONDITIONS

- Up to 20% better emergence than preinoculated uncoated seed (U of MN and CA data)
- Micronutrients surrounding the seed increases germination and emergence
- Controls early season diseases that attack new seedings in wet environments

### OPTIMAL AND EARLIER NODULE FORMATION FOR IMPROVED NITROGEN FIXATION

Unique mix of Rhizobium strains improves nodulation and promotes nitrogen-fixation

#### OPTIMAL STAND ESTABLISHMENT

- Root and shoot development is enhanced and independent of soil conditions
- Early start improves plant health with multi-season benefits of greater yield potential
- Smooth finish and uniform seed size improves planting accuracy
- Ideal for reduced tillage

#### PROPRIETARY GROZONE® PACKAGE INCLUDES:

#### Optimize® Gold with LCO Promoter Technology® for alfalfa

 When present at the time of planting, LCO Promoter Technology® enables your crop to achieve its full genetic potential by enhancing nutritional capabilities that drive natural growth processes, maximizing plant health and crop performance.

#### Stamina® Fungicide

 Helps protects seed and new seedlings from fungal disease and enhance plant health, especially under tough soil conditions with elevated disease pressure. May result in higher germination rates, increased nodulation, healthier roots and larger plants.

#### Nitragin® Gold

 Specially selected natural rhizobia strains (pre-inoculant) result in high levels of nitrogen fixation for maximum yields

#### Apron XL® Fungicide


 Helps protects against seedling damping-off diseases, especially in cool wet soils


#### Micronutrients

• Assists in early vigor and stand establishment

#### **Protective Coating**

 Preserves and extends shelf life of active rhizobia within seed treatment








Improved Root System


### STAMINA® FUNGICIDE BENEFITS

#### WHY USE STAMINA® FUNGICIDE?

- Powered by F500® fungicide, the same active ingredient that is in Headline® fungicide
- Stamina® is a broad spectrum, seed-applied fungicide that provides suppression of seed and emerging seedling disease caused by these target diseases:
  - Aphanomyces euteiches
  - Rhizoctonia solani
  - Fusarium spp.
  - Phytophthora medicaginis
- Seed treated with Stamina® can result in:
- A healthy stand with fast developing plants
- Increased forage yield potential
- Rapid and increased emergence of seedlings even under certain cold conditions



Seedlings inoculated with (A) Aphanomyces euteiches Race I, (B) Aphanomyces euteiches Race 2 (C) Phytophthora medicaginis. Stamina applied at 3.1 fl oz/cwt & metalaxyl applied at 0.9I fl oz/cwt. 20II Laboratory test conducted by an independent third party researcher.



Stamina applied at 3.1 fl oz/cwt. Metalaxyl applied at 0.91 fl oz/cwt. 2013 replicated trials conducted in West Salem, WI.



Alfalfa spring seeded May 6, 2013. Photos taken on June 29, 2013 in West Salem, WI. 54 Days After Seeding. Stamina 3.1 floz/cwt, metalaxyl 0.91 floz/cwt.

# APEXT GREEN SEED COATING

### PROVEN PERFORMANCE

OMRI SSC-2409



Independent field studies and University testing have shown:

- Apex<sup>™</sup> Green Seed Coating encapsulates each seed with a specifically formulated mix of OMRI listed and NOP approved minerals and nutrients.
- The natural color of Apex™ Green Seed Coating improves monitoring of the seeded area and seeding rates. The change in color also disguises the seed from natural predators, such as birds, increasing the seeds survivability.
- Seeds coated with Apex<sup>™</sup> Green Seed Coating are larger and distribute more evenly. The added size increases spread width up to 40% and helps seed penetrate stubble or thatch for maximum seed-soil contact, a crucial step to a seeds germination.
- Every seed planted with Apex<sup>™</sup> Green Seed Coating is surrounded with a natural micronutrient rich environment, stimulating vigorous growth in young seedlings. When applied to legumes Apex<sup>™</sup> Green Seed Coating allows very high numbers of Nitrogen fixing rhizobia, helping ensure crucial nodulation.
- The hygroscopic nature of Apex<sup>TM</sup> Green Seed Coating helps pull and hold moisture, aiding in germination. Our new Apex<sup>TM</sup> Green HydroLoc contains an organic hydration component that helps maximize water absorption for enhanced germination and accelerated growth.





# ULTRACUT<sup>TM</sup> ALFALFA DISEASE PACKAGE



### ULTRACUT™ ALFALFA DISEASE PACKAGE OFFERS PROTECTION AND YIELD POTENTIAL

The best way to protect against evolving Anthracnose and Aphanomyces (A/A) threats in your alfalfa stands is to plant a variety with more advanced resistance. The UltraCut<sup>TM</sup> alfalfa disease package helps you grow a healthy alfalfa crop even in field conditions susceptible to A/A disease strains. Its protection can help deliver an advantage through improved agronomic performance and yield potential.

Crown, stem and root diseases can cause significant impact on alfalfa yield, quality and persistence. The UltraCut alfalfa disease package enables strong stand establishment through unmatched seedling genetic disease resistance. Without disease-resistant seed, if your plants are subjected to these diseases, the damage can be yield limiting and sometimes fatal. You may have to terminate your stand and start over in soil that's possibly still contaminated with the disease strains.

See healthier stands and more yield in your fields\* by planting varieties with the UltraCut alfalfa disease package.

UltraCut alfalfa disease package is available in 6439HVXRR, 6423R and 6453Q.




UltraCut™ alfalfa disease package varieties (in the middle) compared to susceptible competitive check varieties (on outsides), Photo taken at FGI Research Facility, June 2018, West Salem, WI

 $<sup>{}^{*}\</sup>text{Compared}$  to varieties without the UltraCut alfalfa disease package in fields with disease pressure.

### 6439HVXR

### HARVXTRA® ALFALFA WITH ROUNDUP READY® TECHNOLOGY

- The first genetically enhanced alfalfa developed to maximize quality —15-20% increase in RFQ over conventional check varieties.
- Offers excellent harvest flexibility for optimal balance of quality and yield.
- Has shown a 20% reduction in lignin vs. competitive checks thus a greater RFQ of 20% and 17% higher NDFD.
- Top choice for poorly drained soils.
- Features industry leading UltraCut<sup>™</sup> alfalfa disease package that offers enhanced protection against evolving Aphanomyces<sup>1</sup> strains and our patented Anthracnose<sup>2</sup> technology.



| Disease Tolerance                         |                 |
|---|-----------------|
| Bacterial Wilt                            | High Resistance |
| Verticillium Wilt                         | High Resistance |
| Fusarium Wilt                             | High Resistance |
| Anthracnose (Race I)                      | High Resistance |
| Anthracnose (Race 5) <sup>2</sup>         | Resistance      |
| Phytophthora Root Rot                     | High Resistance |
| Aphanomyces Root Rot (Race I)             | High Resistance |
| Aphanomyces Root Rot (Race 2)             | High Resistance |
| Evolving Aphanomyces Strains <sup>1</sup> | High Resistance |
| Disease Rating Index                      | 39/40           |

| Pest Resistance |            |
|-----------------|------------|
| Pea Aphid       | Resistance |
| Spotted Aphid   | Resistance |
| Stem Nematode   | Resistance |

Includes race I and race Z protection. In addition, Forage Senetics International, LLC (FBI) has identified a novel source of Aphanomyces resistance in the greenhouse and field that visibly outperforms unrelated varieties on the market when grown under natural or artificial disease pressure. FBI researchers have been working cooperatively with universities collecting and testing the most virulent strains of Aphanomyces to help determine the level of resistance to this novel source.

<sup>2</sup>Includes race I protection, along with Anthracnose Race 5 protection, which is patented by FGI







| Fall Dormancy: 4.4 / Winter Hardiness: 1.6 |   |   |   |   |           |  |
|--|---|---|---|---|-----------|--|
| RATING<br>Forage Yield                     | 9 | 7 | 5 | 3 | BEST<br>I |  |
| Forage Quality Disease Rating              |   |   |   |   |           |  |

#### **Variety Yield Performance: East**

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 6439HVXR        | 108                    |
| 54029           | 102                    |
| 54HVX42         | 99                     |
| AFX 579         | 99                     |
| 54HVX4I         | 97                     |
| L-451APH2+      | 96                     |
| HYBRIFORCE-3400 | 93                     |

Data from FGI Trials in Wisconsin. Iowa and Pennsylvania from 2019-2022

### 6957HVXR BRAND

### LATEST NON-DORMANT RELEASE OF HARVXTRA® ALFALFA IN FD9

- Winter-active, non-dormant FD=9.0.
- HarvXtra® Alfalfa gives growers the ability to better manage the yield-versus-quality trade-off. It offers more flexibility in cutting schedule to achieve improved forage quality or greater yield potential, when compared to conventional alfalfa at the same stage of maturity.
- The HarvXtra® technology provides unprecedented flexibility by widening cutting windows, which gives growers the option at each cutting to:
  - » Maintain their normal harvest schedules for higher-quality forage, or
  - » Delay harvest for 5-7 days for increased yield potential, without sacrificing forage quality, compared to conventional alfalfa at the same stage of maturity.
- Non-dormant HarvXtra® Alfalfa has on average 12-14% less lignin and 8-10% higher neutral detergent fiber digestibility (NDFD) than conventional alfalfa harvested at the same stage of maturity.
- HarvXtra® Alfalfa is stacked with the Roundup Ready® Technology for unsurpassed weed control with excellent crop safety.





| Fall Dormancy: 9              |   |   |   |   |           |  |
|-------------------------------|---|---|---|---|-----------|--|
| RATING<br>Forage Yield        | 9 | 7 | 5 | 3 | BEST<br>1 |  |
| Forage Quality Disease Rating |   |   |   |   |           |  |

# Agronomic Features Stand Persistence Excellent Early Seeding Vigor Excellent Recovery After Harvest Fast Leaf Retention Excellent Plant Color Dark Green Salt Tolerance Germination

| Disease Tolerance     |                     |
|-----------------------|---------------------|
| Bacterial Wilt        | Moderate Resistance |
| Fusarium Wilt         | High Resistance     |
| Verticillium Wilt     | Resistance          |
| Anthracnose (Race I)  | High Resistance     |
| Phytophthora Root Rot | High Resistance     |

| Pest Resistance |                 |
|-----------------|-----------------|
| Pea Aphid       | High Resistance |
| Spotted Aphid   | High Resistance |
| Stem Nematode   | Resistance      |

#### **Variety Yield Performance**

| Variety        | Davis | Los Banos | Maricopa |
|----------------|-------|-----------|----------|
| 6957HVXR BRAND | 106   | 129       | 108      |
| RRALF 9RI00    | 107   | 109       | 96       |
| 6829R          | 94    |           | 101      |
| HVX840RR BRAND | 101   | 115       |          |
| 6015R          |       | 108       |          |

FGI Trial locations: 2018 Davis, CA; 2018 Los Banos, CA; 2018 Maricopa, AZ

### TOP QUALITY FOR DAIRY AND CASH HAY PRODUCERS

- Perfect variety for the producer that wants quality with a 2-4 cut system.
- Excellent disease package.
- Best choice for stand persistence and winterhardiness.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before.
   It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |                 |
|------------------------|-----------------|
| Fall Growth            | Dormant         |
| Stand Persistence      | Excellent       |
| Early Seedling Growth  | Very Good       |
| Drought Stress         | Excellent       |
| Recovery After Cutting | Moderately Fast |
| Forage Quality         | Excellent       |
| Salt Tolerance         | Germination     |

| Disease Tolerance             |                 |  |  |
|-------------------------------|-----------------|--|--|
| Bacterial Wilt                | High Resistance |  |  |
| Verticillium Wilt             | High Resistance |  |  |
| Fusarium Wilt                 | High Resistance |  |  |
| Anthracnose (Race I)          | High Resistance |  |  |
| Phytophthora Root Rot         | High Resistance |  |  |
| Aphanomyces Root Rot (Race I) | High Resistance |  |  |
| Aphanomyces Root Rot (Race 2) | Resistance      |  |  |
| Disease Rating Index          | 34/35           |  |  |

| Pest Resistance |                     |
|-----------------|---------------------|
| Pea Aphid       | High Resistance     |
| Spotted Aphid   | Resistance          |
| Stem Nematode   | Moderate Resistance |





# Fall Dormancy: 3.2 / Winter Hardiness: 1.0 RATING 9 7 5 3 I Forage Yield Forage Quality Disease Rating

#### **Variety Yield Performance: East**

| <b>V</b> ariety | Multi-Year % of Checks |
|-----------------|------------------------|
| 6373R           | 106                    |
| PGI 459         | 102                    |
| 54V09           | 96                     |
| LEGACY 449 APH2 | 96                     |
| HYBRIFORCE-3400 | 95                     |

Data from FGI Trials in Wisconsin from 2016-2019

#### **Variety Yield Performance: West**

| Variety | Multi-Year % of Checks |
|---------|------------------------|
| 6373R   | 104                    |
| 54QR04  | 98                     |

Data from FGI Trials in Washington and  $\,$  Idaho from 2018-2020  $\,$ 

### TOP QUALITY FOR DAIRY AND CASH HAY PRODUCERS

- Herbicide-tolerant replacement for Liberator and 6443RR.
- Maximum yield potential, quality and/or milk per acre potential.
- High multifoliate expression for maximum quality.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before.
   It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |                    |
|------------------------|--------------------|
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Excellent          |
| Early Seedling Growth  | Very Good          |
| Drought Stress         | Very Good          |
| Recovery After Cutting | Fast               |
| Forage Quality         | Excellent          |
| Salt Tolerance         | Germination        |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Disease Rating Index          | 30/30           |

| Pest Resistance       |            |
|-----------------------|------------|
| Pea Aphid             | Resistance |
| Stem Nematode         | Resistance |
| N. Root Knot Nematode | Resistance |





#### Fall Dormancy: 4.0 / Winter Hardiness: 2.0

| RATING<br>Forage Yield        | 9 | 7 | 5 | 3 | BEST<br>I |
|-------------------------------|---|---|---|---|-----------|
| Forage Quality Disease Rating |   |   |   |   | _         |

### NEXTECT<sup>TM</sup> RR BRAND

### EXCEPTIONAL QUALITY FOR AN EXCEPTIONAL VALUE

- An economical Roundup Ready® alfalfa blended for dependable forage yield potential and good quality
- Good winterhardiness and pest package with resistance to key diseases
- · Moderate to fast recovery after cutting for optimum yield potential

# UTILIZING THE ROUNDUP READY® WEED CONTROL SYSTEM PROVIDES MANY BENEFITS

- Weed control at both stand establishment and in established stands means fewer weeds and higher quality hay and haylage
- Optimal crop safety at all growth stages provides increased yield potential in both the establishment and subsequent years
- Flexibility in timing of application allows growers to spray when necessary; no carryover or crop rotation limitations
- Minimal wait (5 days) after Roundup® application before haying/feeding





| Fall Do                       | rmancy: | 4 / Win | ter Hard | iness: 2 |           |
|-------------------------------|---------|---------|----------|----------|-----------|
| RATING<br>Forage Yield        | 9       | 7       | 5        | 3        | BEST<br>I |
| Forage Quality Disease Rating |         |         |          |          |           |

| Agronomic Features     |                  |
|------------------------|------------------|
| Cuttings/Season        | 3-5              |
| Stand Persistence      | Excellent        |
| Early Seedling Growth  | Very Good        |
| Drought Stress         | Very Good        |
| Recovery After Cutting | Moderate to Fast |
| Forage Quality         | Very Good        |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | Resistance      |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | Resistance      |
| Disease Rating Index          | 28/30           |

### TOP YIELD POTENTIAL VARIETY WITH HIGH RESISTANCE TO STEM NEMATODES

- Broadly adapted variety with high resistance to stem nematode.
- High tolerance to salt at germination.
- Replaces Mutiny with better winterhardiness.
- High multifoliate expression for maximum quality.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before.
   It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |                    |
|------------------------|--------------------|
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Excellent          |
| Early Seedling Growth  | Very Good          |
| Drought Stress         | Very Good          |
| Recovery After Cutting | Fast               |
| Forage Quality         | Excellent          |
| Salt Tolerance         | Germination        |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Aphanomyces Root Rot (Race 2) | Resistance      |
| Disease Rating Index          | 34/35           |

| Pest Resistance |                 |
|-----------------|-----------------|
| Pea Aphid       | Resistance      |
| Spotted Aphid   | Resistance      |
| Stem Nematode   | High Resistance |





### Fall Dormancy: 4.1 / Winter Hardiness: 1.0

| RATING                         | 9 | 7 | 5 | 3 | BEST |
|--------------------------------|---|---|---|---|------|
| Forage Yield<br>Forage Quality |   |   |   |   |      |
| Disease Rating                 |   |   |   |   | _    |

#### **Variety Yield Performance: West**

| Variety | Multi-Year % of Checks |
|---------|------------------------|
| 6427R   | 107                    |
| 55VR05  | 101                    |
| 54R02   | 100                    |
| 54QR04  | 100                    |

Data from FGI Trials in Washington from 2015-2016

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 6427R           | 106                    |
| 55VR08          | 103                    |
| HYBRIFORCE-3400 | 102                    |
| 54VR10          | 100                    |
| 54029           | 97                     |
| AFX 579         | 96                     |

Data from FGI Trials in Kansas from 2019-2021

### TOP YIELD POTENTIAL VARIETY WITH HIGH RESISTANCE TO RACE 1 & 2 APHANOMYCES

- Highly resistant to Aphanomyces Race 2.
- High multifoliate expression for maximum quality.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before.
   It helps produce better feed quality and stand during establishment while increasing yield potential.





# Fall Dormancy: 4.2 / Winter Hardiness: 1.8 RATING 9 7 5 3 EST Forage Yield Forage Quality Disease Rating

| Agronomic Features     |                    |
|------------------------|--------------------|
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Excellent          |
| Early Seedling Growth  | Very Good          |
| Drought Stress         | Very Good          |
| Recovery After Cutting | Fast               |
| Forage Quality         | Excellent          |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Aphanomyces Root Rot (Race 2) | High Resistance |
| Disease Rating Index          | 35/35           |

| Pest Resistance |                     |
|-----------------|---------------------|
| Pea Aphid       | Resistance          |
| Spotted Aphid   | Moderate Resistance |
| Stem Nematode   | Resistance          |

#### **Variety Yield Performance: East**

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 6424R           | 105                    |
| 54029           | 104                    |
| SW4107          | 101                    |
| L-451APH2+      | 98                     |
| HI-GEST 360     | 95                     |
| AFX 579         | 94                     |
| HYBRIFORCE-4400 | 92                     |

Data from FGI Trials in Wisconsin. Iowa and Pennsylvania from 2019-2022

#### **Variety Yield Performance: West**

| <b>V</b> ariety | Multi-Year % of Checks |
|-----------------|------------------------|
| 6424R           | 109                    |
| 54QR04          | 100                    |
| HYBRIFORCE-3400 | 100                    |
| 54V09           | 95                     |

Data from FGI Trials in Idaho from 2017-2020

## TOP ULTRACUT® ALFALFA DISEASE PACKAGE VARIETY IN THE ROUNDUP READY® LINEUP WITH EXTREME COLD TOLERANCE

- Highly resistant to multiple races of Aphanomyces for protection during establishment and early season cool and wet soil conditions
- Highly resistant to multiple races of Anthracnose for protection during warm and humid weather conditions
- Top choice for heavy, compacted and saturated soils
- Extremely winterhardy providing superb cold tolerance
- Salt tolerance at germination
- High multifoliate expression for maximum quality
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before. It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |           |
|------------------------|-----------|
| Stand Persistence      | Excellent |
| Early Seedling Growth  | Very Good |
| Drought Stress         | Very Good |
| Recovery After Cutting | Fast      |
| Forage Quality         | Excellent |

| Disease Tolerance                         |                 |
|---|-----------------|
| Bacterial Wilt                            | High Resistance |
| Verticillium Wilt                         | High Resistance |
| Fusarium Wilt                             | High Resistance |
| Anthracnose (Race I)                      | High Resistance |
| Anthracnose (Race 5) <sup>2</sup>         | High Resistance |
| Phytophthora Root Rot                     | High Resistance |
| Aphanomyces Root Rot (Race I)             | High Resistance |
| Aphanomyces Root Rot (Race 2)             | High Resistance |
| Evolving Aphanomyces Strains <sup>1</sup> | High Resistance |
| Disease Rating Index                      | 40/40           |

| Pest Resistance       |                 |
|-----------------------|-----------------|
| Pea Aphid             | High Resistance |
| Spotted Alfalfa Aphid | Resistance      |
| Stem Nematode         | Resistance      |







| Fall Dorm                     | ancy: 4.0 | / Win | nter Hardi | ness: 1.0 |      |
|-------------------------------|-----------|-------|------------|-----------|------|
| RATING<br>Forage Yield        | 9         | 7     | 5          | 3         | BEST |
| Forage Quality Disease Rating |           |       |            |           |      |

#### **Variety Yield Performance: East**

| <b>V</b> ariety | Multi-Year % of Checks |  |  |
|-----------------|------------------------|--|--|
| 6423R           | 108                    |  |  |
| 54VR10          | 105                    |  |  |
| 54029           | 103                    |  |  |
| L-451APH2+      | 99                     |  |  |
| AFX 579         | 98                     |  |  |
| HYBRIFORCE-4400 | 94                     |  |  |

Data from FGI Trials in Wisconsin from 2021-2022

#### Variety Yield Performance: West

| Variety     | Multi-Year % of Checks |
|-------------|------------------------|
| 6423R       | 104                    |
| DKA40-5IRR  | 100                    |
| WL 356HQ.RR | 95                     |

Data from FGI Trials in Idaho from 2021-2022

### STEP CHANGE IN YIELD POTENTIAL AND FORAGE QUALITY

- Rapid recovery after cutting enables maximum number of harvests.
- High resistance to Stem Nematode.
- Latest generation fall dormancy 5 variety.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before.
   It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |                    |
|------------------------|--------------------|
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Very Good          |
| Early Seedling Growth  | Excellent          |
| Drought Stress         | Very Good          |
| Recovery After Cutting | Very Fast          |
| Forage Quality         | Excellent          |
| Salt Tolerance         | Germination        |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Disease Rating Index          | 30/30           |

| Pest Resistance       |                 |
|-----------------------|-----------------|
| Pea Aphid             | High Resistance |
| Spotted Aphid         | High Resistance |
| Stem Nematode         | High Resistance |
| N. Root Knot Nematode | High Resistance |





| Fall Dormancy: 4.5 / Winter Hardiness: Very Hardy |   |   |   |   |           |
|---|---|---|---|---|-----------|
| RATING<br>Forage Yield                            | 9 | 7 | 5 | 3 | BEST<br>1 |
| Forage Quality Disease Rating                     |   |   |   |   |           |

### **Variety Yield Performance: West**

| Variety | Multi-Year % of Checks |  |  |
|---------|------------------------|--|--|
| 6516R   | 105                    |  |  |
| 55VR05  | 99                     |  |  |

Data from FGI Trials in Washington from 2015-2019

### ROUNDUP READY® NON DORMANT VARIETY

- Strong performance in the presence of stem nematode.
- Tolerant to saline conditions during germination.
- Strong aphid resistance package.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before.
   It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |             |
|------------------------|-------------|
| Fall Growth            | Non-Dormant |
| Stand Persistence      | Very Good   |
| Early Seedling Growth  | Excellent   |
| Drought Stress         | Good        |
| Recovery After Cutting | Very Fast   |
| Forage Quality         | Excellent   |
| Salt Tolerance         | Germination |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | Resistance      |
| Verticillium Wilt             | Resistance      |
| Fusarium Wilt                 | Resistance      |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |

| Pest Resistance       |                 |
|-----------------------|-----------------|
| Pea Aphid             | High Resistance |
| Spotted Aphid         | High Resistance |
| Blue Aphid            | Resistance      |
| Stem Nematode         | High Resistance |
| N. Root Knot Nematode | High Resistance |





|                               | Fall Dormancy: 7.5 |   |   |   |           |
|-------------------------------|--------------------|---|---|---|-----------|
| RATING<br>Forage Yield        | 9                  | 7 | 5 | 3 | BEST<br>I |
| Forage Quality Disease Rating |                    |   |   |   | _         |

#### **Variety Yield Performance: West**

| Variety     | Multi-Year % of Checks |
|-------------|------------------------|
| 6829R       | 107                    |
| RRALF 8RIOO | 93                     |

Data from FGI Trials in California from 2011-2016

### 6830R BRAND

# IMPROVED SALT TOLERANCE AND STRONG APHID RESISTANCE IN THE ROUNDUP READY® LINEUP

- Improved salt tolerance of germinating seeds over replacement variety.
- Strong aphid resistance.
- Combination of salt tolerance and high resistance to Phytophthora Root Rot provides improved establishment success.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before. It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |             |
|------------------------|-------------|
| Fall Growth            | Non-Dormant |
| Stand Persistence      | Very Good   |
| Early Seedling Growth  | Excellent   |
| Drought Stress         | Good        |
| Recovery After Cutting | Very Fast   |
| Forage Quality         | Excellent   |
| Salt Tolerance         | Germination |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | Resistance      |
| Verticillium Wilt             | Resistance      |
| Fusarium Wilt                 | Resistance      |
| Anthracnose (Race I)          | Resistance      |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | Resistance      |

| Pest Resistance |                 |
|-----------------|-----------------|
| Pea Aphid       | High Resistance |
| Spotted Aphid   | High Resistance |
| Stem Nematode   | High Resistance |





| Fall Dormancy: 8.3            |   |   |   |   |           |
|-------------------------------|---|---|---|---|-----------|
| RATING<br>Forage Yield        | 9 | 7 | 5 | 3 | BEST<br>I |
| Forage Quality Disease Rating |   |   |   |   |           |

#### **Variety Yield Performance: West**

| Variety     | Multi-Year % of Checks |
|-------------|------------------------|
| 6830R BRAND | 126                    |
| 6829R       | 92                     |
| RRALF 9RIOO | 108                    |

Data from FGI Trials in California from 2021-2023

### 6902R BRAND

### NEW ROUNDUP READY® NON DORMANT VARIETY

- Strong performance in the presence of stem nematode.
- Tolerant to saline conditions during germination.
- Strong aphid resistance package.
- The Roundup Ready® Alfalfa trait provides optimal weed control, making crop management easier than ever before. It helps produce better feed quality and stand during establishment while increasing yield potential.

| Agronomic Features     |             |
|------------------------|-------------|
| Fall Growth            | Non-Dormant |
| Stand Persistence      | Very Good   |
| Early Seedling Growth  | Excellent   |
| Drought Stress         | Good        |
| Recovery After Cutting | Very Fast   |
| Forage Quality         | Very Good   |
| Salt Tolerance         | Germination |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | Resistance      |
| Verticillium Wilt             | Resistance      |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | Low Resistance  |

| Pest Resistance |                 |
|-----------------|-----------------|
| Pea Aphid       | High Resistance |
| Spotted Aphid   | High Resistance |
| Blue Aphid      | Resistance      |
| Stem Nematode   | High Resistance |





| Fall Dormancy: 9.4            |   |   |   |   |           |
|-------------------------------|---|---|---|---|-----------|
| RATING<br>Forage Yield        | 9 | 7 | 5 | 3 | BEST<br>I |
| Forage Quality Disease Rating |   |   |   |   |           |

#### **Variety Yield Performance: West**

| Variety     | Multi-Year % of Checks |
|-------------|------------------------|
| 6902R BRAND | 125                    |
| RRALF 9RIOO | 108                    |

Data from FGI Trials in California from 2014-2020

### SPREDOR 5

### FIFTH GENERATION SPREDOR WITH CREEPING ROOT SYSTEM

- Creeping variety is well suited to rangeland environments.
- Well adapted as a legume for pasture renovation.
- Tested and proven yields in salt-tolerant trials.



| Fall Dorm                     | iancy: 1. | 9 / Win | ter Hard | iness: I.I | 0         |
|-------------------------------|-----------|---------|----------|------------|-----------|
| RATING<br>Forage Yield        | 9         | 7       | 5        | 3          | BEST<br>I |
| Forage Quality Disease Rating |           |         |          |            | -         |

| Agronomic Features     |                     |
|------------------------|---------------------|
| Fall Growth            | Early Fall Dormancy |
| Stand Persistence      | Excellent           |
| Early Seedling Growth  | Very Good           |
| Drought Stress         | Excellent           |
| Recovery After Cutting | Moderate            |
| Forage Quality         | Very Good           |
| Salt Tolerance         | Germination         |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Aphanomyces Root Rot (Race 2) | Resistance      |
| Disease Rating Index          | 34/35           |

| Pest Resistance |            |
|-----------------|------------|
| Pea Aphid       | Resistance |
| Spotted Aphid   | Resistance |
| Stem Nematode   | Resistance |

### PERFORMS UNDER INTENSE HARVEST TRAFFIC


- Great quality and yield potential in a fall dormancy 3 product.
- Exceptional winterhardiness and persistence.
- Top disease rating for defensive capability.

| Agronomic Features     |                      |
|------------------------|----------------------|
| Fall Growth            | Medium Fall Dormancy |
| Stand Persistence      | Excellent            |
| Early Seedling Growth  | Very Good            |
| Drought Stress         | Excellent            |
| Recovery After Cutting | Moderately Fast      |
| Forage Quality         | Excellent            |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Disease Rating Index          | 30/30           |

| Pest Resistance |                 |
|-----------------|-----------------|
| Pea Aphid       | Resistance      |
| Spotted Aphid   | High Resistance |
| Stem Nematode   | Resistance      |





#### Variety Yield Performance: East

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 6305Q           | 106                    |
| HYBRIFORCE-2400 | 98                     |
| HYBRIFORCE-440  | 93                     |
| ATTENTION II    | 89                     |
| 54HII           | 88                     |

Data from FGI Trials in Wisconsin from 2011-2015

### **Variety Yield Performance: West**

| Variety        | Multi-Year % of Checks |
|----------------|------------------------|
| 6305Q          | 102                    |
| HYBRIFORCE-400 | 99                     |
| 54053          | 97                     |

Data from FGI Trials in Idaho from 2007-2008

### 6480H BRAND

### LATEST GENERATION LEAFHOPPER RESISTANCE

- Step-change in yield potential with highest level of Leafhopper protection.
- Disease Resistance Index of 34/35.
- Outstanding winterhardiness for Leafhopper varieties.



| Fall Dorm                     | ancy: 3.9 | / Win | ter Hard | iness: 2 | .0        |
|-------------------------------|-----------|-------|----------|----------|-----------|
| RATING<br>Forage Yield        | 9         | 7     | 5        | 3        | BEST<br>I |
| Forage Quality Disease Rating |           |       |          |          |           |

| Agronomic Features     |                    |
|------------------------|--------------------|
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Very Good          |
| Early Seedling Growth  | Excellent          |
| Drought Stress         | Excellent          |
| Recovery After Cutting | Very Fast          |
| Forage Quality         | Very Good          |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Aphanomyces Root Rot (Race 2) | Resistance      |
| Disease Rating Index          | 34/35           |

| Pest Resistance      |                     |
|----------------------|---------------------|
| Pea Aphid            | High Resistance     |
| Spotted Aphid        | Moderate Resistance |
| Leafhopper Yellowing | High Resistance     |

### 6401N

### PROVEN YIELDS IN HIGH PH SOILS

- Tolerant to salt at germination.
- Excellent under high pH soils.
- High resistance to Stem Nematode.

| Agronomic Features     |                    |
|------------------------|--------------------|
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Excellent          |
| Early Seedling Growth  | Very Good          |
| Drought Stress         | Very Good          |
| Recovery After Cutting | Fast               |
| Forage Quality         | Excellent          |
| Salt Tolerance         | Germination        |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | Resistance      |
| Disease Rating Index          | 29/30           |

| Pest Resistance       |                 |
|-----------------------|-----------------|
| Pea Aphid             | High Resistance |
| Spotted Aphid         | Resistance      |
| Stem Nematode         | High Resistance |
| N. Root Knot Nematode | High Resistance |



| Fall Dormanc                  | y: 4.0 / | Winter I | Hardines | s: Very | Hardy     |
|-------------------------------|----------|----------|----------|---------|-----------|
| RATING<br>Forage Yield        | 9        | 7        | 5        | 3       | BEST<br>I |
| Forage Quality Disease Rating |          |          |          |         | -         |

### **Variety Yield Performance: West**

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 640IN           | 110                    |
| HYBRIFORCE-3400 | 102                    |

Data from FGI Trials in Washington and Idaho from 2015-2021

| Variety | Multi-Year % of Checks |
|---------|------------------------|
| 640IN   | 108                    |
| 55V50   | 100                    |

Data from FGI Trials in Washinton and Idaho from 2013-2019

### TOP-PERFORMING VARIETY

- Six-time commercial hay champion at World Forage Analysis Superbowl.
- Outstanding winterhardiness in a full-season variety.
- Very fast recovery for multiple cut systems.

| Agronomic Features     |                    |
|------------------------|--------------------|
| Yield Cuts             | 4-5                |
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Excellent          |
| Early Seedling Growth  | Excellent          |
| Drought Stress         | Very Good          |
| Recovery After Cutting | Very Fast          |
| Forage Quality         | Excellent          |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Disease Rating Index          | 30/30           |

| Pest Resistance |            |
|-----------------|------------|
| Pea Aphid       | Resistance |
| Spotted Aphid   | Resistance |
| Stem Nematode   | Resistance |



| Fall Dorn                     | nancy: 4. | 5 / Win | ter Hard | iness: 1. | 0         |
|-------------------------------|-----------|---------|----------|-----------|-----------|
| RATING<br>Forage Yield        | 9         | 7       | 5        | 3         | BEST<br>I |
| Forage Quality Disease Rating |           |         |          |           | _         |

### **Variety Yield Performance: East**

| <b>V</b> ariety | Multi-Year % of Checks |
|-----------------|------------------------|
| 6422Q           | 107                    |
| HYBRIFORCE-3400 | 96                     |
| LEGACY 449 APH2 | 96                     |

Data from FGI Trials in Wisconsin and Iowa from 2017-2021

### **Variety Yield Performance: West**

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 64220           | 108                    |
| 55V50           | 100                    |
| HYBRIFORCE-2400 | 97                     |

Data from FGI Trials in Washington and Idaho from 2013-2015

### ULTRACUT™ ALFALFA DISEASE PACKAGE UPS ANTE ON YIELD AND PERSISTENCE LEADER

- Outstanding yield potential and agronomic performance under 4 to 5-cut harvest management systems (FD=4.4) in various locations throughout dormant alfalfa use areas.
- A new day in disease resistance, 6453Q's perfect Disease Resistance Index includes our UltraCut™ alfalfa disease package which offer growers the ability to help protect yield and quality potential.
- Superb winterhardiness (WH=1.6); 6453Q delivers excellent cold tolerance and persistence.
- 6453Q contains high-quality feed value levels highly desirable for dairy and cash hay producers.





| Agronomic Features     |             |
|------------------------|-------------|
| Fall Growth            | Dormant     |
| Stand Persistence      | Very Good   |
| Early Seedling Growth  | Excellent   |
| Drought Stress         | Very Good   |
| Recovery After Cutting | Very Fast   |
| Forage Quality         | Excellent   |
| Salt Tolerance         | Germination |

| Disease Tolerance                 |                 |
|-----------------------------------|-----------------|
| Bacterial Wilt                    | High Resistance |
| Verticillium Wilt                 | High Resistance |
| Fusarium Wilt                     | High Resistance |
| Anthracnose (Race I)              | High Resistance |
| Anthracnose (Race 5) <sup>2</sup> | High Resistance |
| Phytophthora Root Rot             | High Resistance |
| Aphanomyces Root Rot (Race I)     | High Resistance |
| Aphanomyces Root Rot (Race 2)     | High Resistance |
| Evolving Aphanomyces Strains      | High Resistance |
| Disease Rating Index              | 40/40           |

| Pest Resistance       |            |
|-----------------------|------------|
| Pea Aphid             | Resistance |
| Spotted Alfalfa Aphid | Resistance |
| Stem Nematode         | Resistance |

| Fall Dorm                     | ancy: 4.4 | / Wir | nter Hard | ness: I. | 6         |
|-------------------------------|-----------|-------|-----------|----------|-----------|
| RATING<br>Forage Yield        | 9         | 7     | 5         | 3        | BEST<br>I |
| Forage Quality Disease Rating |           |       |           |          |           |

#### Variety Yield Performance: East

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 64530           | 113                    |
| 54029           | 104                    |
| L-451APH2+      | 99                     |
| HYBRIFORCE-4400 | 90                     |

Data from FGI Trials in Wisconsin and Pennsylvania from 2020-2022

#### **Variety Yield Performance: West**

| <b>V</b> ariety | Multi-Year % of Checks |
|-----------------|------------------------|
| 6453Q           | 107                    |
| HYBRIFORCE-3400 | 98                     |

Data from FGI Trials in Washington and Idaho from 2017-2022

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 64530           | 105                    |
| AFX 579         | 96                     |
| HYBRIFORCE-3400 | 94                     |

Data from FGI Trials in Washinton and Idaho from 2020-2022

¹Includes race 1 and race 2 protection. In addition, Forage Genetics International, LLC (FGI) has identified a novel source of Aphanomyces resistance in the greenhouse and field that visibly outperforms unrelated varieties on the market when grown under natural or artificial disease pressure. FGI researchers have been working cooperatively with universities collecting and testing the most virulent strains of Aphanomyces to help determine the level of resistance to this novel source. ²Includes race 1 protection, along with Anthracnose Race 5 protection, which is patented by FGI.

### HIGH-YIELD POTENTIAL COMPANION TO 6422Q

- A leading fall dormancy 5 variety for maximum cuttings.
- High yield potential variety selected for top forage quality.
- Fast recovery for 4-6 cuttings season.

| Agronomic Features     |                    |
|------------------------|--------------------|
| Fall Growth            | Late Fall Dormancy |
| Stand Persistence      | Excellent          |
| Early Seedling Growth  | Excellent          |
| Drought Stress         | Good               |
| Recovery After Cutting | Very Fast          |
| Forage Quality         | Excellent          |
| Salt Tolerance         | Germination        |

| Disease Tolerance             |                 |
|-------------------------------|-----------------|
| Bacterial Wilt                | High Resistance |
| Verticillium Wilt             | High Resistance |
| Fusarium Wilt                 | High Resistance |
| Anthracnose (Race I)          | High Resistance |
| Phytophthora Root Rot         | High Resistance |
| Aphanomyces Root Rot (Race I) | High Resistance |
| Aphanomyces Root Rot (Race 2) | Resistance      |
| Disease Rating Index          | 34/35           |

| Pest Resistance      |                 |
|----------------------|-----------------|
| Pea Aphid            | Resistance      |
| Stem Nematode        | High Resistance |
| N Root Knot Nematode | Resistance      |





### **Variety Yield Performance: East**

| Variety         | Multi-Year % of Checks |
|-----------------|------------------------|
| 6585Q           | 109                    |
| AFX 579         | 101                    |
| 54029           | 100                    |
| L-451APH2+      | 97                     |
| HYBRIFORCE-3400 | 94                     |

Data from FGI Trials in Wisconsin and Pennsylvania from 2019-2022

### **Variety Yield Performance: West**

| Variety | Multi-Year % of Checks |
|---------|------------------------|
| 6585Q   | 106                    |
| 55V50   | 99                     |
| 55027   | 96                     |

Data from FGI Trials in Washington from 2017-2019

### 6906N

### HIGH YIELDING FALL DORMANCY 9

- Provides salt tolerance at critical stages in plant development.
- High resistance to Stem Nematode.
- High resistance to critical aphids.

| Agronomic Features     |             |
|------------------------|-------------|
| Fall Growth            | Non-Dormant |
| Stand Persistence      | Very Good   |
| Early Seedling Growth  | Excellent   |
| Drought Stress         | Good        |
| Recovery After Cutting | Very Fast   |
| Forage Quality         | Very Good   |
| Salt Tolerance         | Germination |

| Disease Tolerance     |                     |
|-----------------------|---------------------|
| Bacterial Wilt        | Moderate Resistance |
| Fusarium Wilt         | High Resistance     |
| Anthracnose (Race I)  | Resistance          |
| Phytophthora Root Rot | Resistance          |

| Pest Resistance |                 |  |
|-----------------|-----------------|--|
| Pea Aphid       | High Resistance |  |
| Spotted Aphid   | High Resistance |  |
| Blue Aphid      | High Resistance |  |
| Stem Nematode   | High Resistance |  |



| Fall Dormancy: 8.9            |   |   |   |   |           |
|-------------------------------|---|---|---|---|-----------|
| RATING<br>Forage Yield        | 9 | 7 | 5 | 3 | BEST<br>1 |
| Forage Quality Disease Rating |   |   |   |   |           |

### Variety Yield Performance: West

| Variety        | Multi-Year % of Checks |  |
|----------------|------------------------|--|
| 6906N          | 107                    |  |
| PGI 909        | 98                     |  |
| HYBRIFORCE-800 | 95                     |  |

Data from FGI Trials in California from 2012-2015

## PLANTNEXGROW.COM









In the following states, purchase and use of HarvXtra® Alfalfa with Roundup Ready® Technology is subject to a Seed and Feed Use Agreement, requiring that products of this technology can only be used on farm or otherwise be used in the United States: Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington and Wyoming. In addition, due to the unique cropping practices do not plant HarvXtra® Alfalfa with Roundup Ready® Technology in Imperial County, California, pending import approval and until Forage Genetics International, LLC (FGI) grants express permission for such planting.

Forage Genetics International, LLC ("FGI") is a member of Excellence Through Stewardship® (ETS). FGI products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with FGI's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. HarvXtra® Alfalfa with Roundup Ready® Technology and Roundup Ready® Alfalfa have pending import approvals. GROWERS MUST DIRECT ANY PRODUCT PRODUCED FROM HARVXTRA® ALFALFA WITH ROUNDUP READV® TECHNOLOGY SEED OR CROPS (INCLUDING HAY AND HAY PRODUCTS) ONLY TO UNITED STATES DOMESTIC USE. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Growers should refer to http://www.biotradestatus.com/ for any updated information on import country approvals. Excellence Through Stewardship® is a registered trademark of Biotechnology Industry Organization.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready® crops contain genes that confer tolerance to glyphosate. Glyphosate herbicides will kill crops that are not tolerant to glyphosate.

Roundup Ready® is registered trademarks of Monsanto Technology LLC, used under license by Forage Genetics International, LLC. NEXGROW and HarvXtra® are registered trademarks of Forage Genetics International, LLC. HarvXtra® Alfalfa with Roundup Ready® Technology is enabled with Technology from The Samuel Roberts Noble Foundation, Inc. All product names, trademarks and registered trademarks are property of their respective owners.