




Renegade

Red Clover

SEEDS & SCIENCE



Description

Renegade is an erect, early flowering, double cut red clover with improved resistance to southern anthracnose and downy mildew. Renegade is classified as semi-dormant in winter growth habit, and provides more grazing than Ladino clover during hot summer months.

Key Features

- High Yields
- Good Persistence
- High Protein Content
- Disease Resistant
- Cold Tolerant



Organics offers USDA-certified, non-GMO, and sustainable seeds for North American growers. With extensive certification and a strong track record, DLF supports organic farming with high-quality, environmentally friendly seed varieties.

Ratings

Scale 1-9, where 9 = best or most pronounced



Additional Specs

General Characteristics

| | |
|-----------|--|
| Livestock | Bee/Pollinator , Cattle , Deer , Goats , Hogs , Sheep |
| Usage | Hay , Silage , Pasture , Wildlife , Cover Crop , Pollinator Friendly |
| Segment | Forage |
| Species | Red Clover |
| Sci. Name | Trifolium |

Disease Resistance

Winter Hardiness Extremely Winter Hardy

Plant Characteristics

| | |
|------------------------|---|
| Flower Color | 52% Light Pink, 47% Medium Pink, 1% Dark Pink |
| Time of 50% Flowering | Medium |
| Additional Information | Double Cut |

Plant Characteristics

| | |
|------------------------|---|
| Flower Color | 52% Light Pink, 47% Medium Pink, 1% Dark Pink |
| Time of 50% Flowering | Medium |
| Additional Information | Double Cut |
| Ploidy | Diploid |
| Type | Red |
| Stem (# of nodes) | 3 |
| Stem Thickness | Medium to Thick |
| Leaf Abundance | Medium |
| Leaf Color | Medium Green |
| Leaf Length | Medium to Long |
| Leaf Width | Medium to Wide |
| Leaf Markings | 1 |
| Petiole Length | Long |
| Type of Markings | 76% (Full Extended), 7% Apical, 5% Basal |
| Emergence (Days) | 7 |
| Growth Habit | Erect |
| Plant Height | Long |
| Hypocotyl Lobing | Medium |
| Maturity | Early |
| Winter Hardiness | 6 |

Seed Characteristics

| | |
|-------------|---|
| Seed Color | 28% Yellow, 18% Dark Purple, 26% Yellow with some Purple, 24% Purple with some Yellow, 4% Olive |
| Seed Weight | 1.19g/1000 Seeds |

Root Characteristics

| | |
|------------|------------|
| Crown Type | Pronounced |
|------------|------------|

Seeding Information

| | |
|--|--------------------------------|
| Approx. Seeds/Lb. | 272000 |
| Approx. Seeds/Kg. | 600000 |
| Seeding Rate - Alone/New (Kg./Hectare) | 9-14 |
| Seeding Rate - Alone/New (Lbs./Acre) | 8-12 |
| Planting Times | Spring, Late Summer-Early Fall |
| Seeding Rate - Mixes (Kg./Hectare) | 7-9 |

| | |
|-------------------|--|
| Ploidy | Diploid |
| Type | Red |
| Stem (# of nodes) | 3 |
| Stem Thickness | Medium to Thick |
| Leaf Abundance | Medium |
| Leaf Color | Medium Green |
| Leaf Length | Medium to Long |
| Leaf Width | Medium to Wide |
| Leaf Markings | 1 |
| Petiole Length | Long |
| Type of Markings | 76% (Full Extended), 7% Apical, 5% Basal |
| Emergence (Days) | 7 |
| Growth Habit | Erect |
| Plant Height | Long |
| Hypocotyl Lobing | Medium |
| Maturity | Early |
| Winter Hardiness | 6 |

Pest and Disease Resistance

| | |
|----------------------|------------|
| Northern Anthracnose | Not Tested |
| Root Rot | Not Tested |
| Powdery Mildew | Not Tested |
| Southern Anthracnose | Resistant |

